

About Us

Lange Containment Systems, Inc (LCSI) is a premier fabricator of custom geosynthetic membrane products. Our management team has over 50 years experience in all facets of the business and in all corners of the globe. LCSI is committed to providing the highest quality products, with the service and flexibility that sets the standard for our industry. This means that each bid, job, and person will get quality individual attention from our team. Our service will not be compromised. We welcome your calls and questions.

Call us for all of your liner and geosynthetic needs!



LCSI's EZ Containment™ system has many field applications



CONTAINMENT™

Product/Service Information



- Tank Guardian. Use as a permanent or temporary system around tanks holding oil, fertilizer, water, etc.
- Secondary Containment
- Fire protection water storage
- Water clarity dams
- Truck washing station
- Creek diversions.

Permanent or Portable Spill Containment

EZ Containment™ systems can usually be installed by one or two persons in just a few hours. The six foot triangular basket panels are easily assembled and disassembled for transportation to another location.

We utilize the highest quality materials available in the industry to ensure a functional, durable and long-lasting containment system. And we offer a wide range of geomembrane liners suitable for the liquid material you are storing.

Lange's product specialists can help you size and specify the containment system that best fits your needs.



Triangular basket panels have an interior strut for strength and reinforcement.

Product Materials & Service

- Triangular baskets are constructed using nine gage galvanized steel with an interior strut
- Nonwoven geotextile underlayment
- Available geomembrane liner materials include:
 - PVC Film– available in 20, 30, 40, 50 and 60 mils
 - Polypropylene - available in 45 mil
 - XR-5 - available in 30 and 40 mil
 - High-strength, High-temperature liner available upon request
- Batten strips, anchor spikes and sand-filled ballast tubes
- Optional components:
 - Ladder
 - Walk pads
 - Oil absorbent sock
 - Boot kits
 - Rain water pump
- Collapsible panels for compact transportation
- Easy step-by-step instructions included
- “Next day emergency” shipping on some sizes
- Lange Containment Systems will help you select the correct containment system for your application:
 - Compatibility of geomembrane liner with stored material
 - Customized systems for your site specific needs
 - Variety of configurations available

EZ Containment™ systems are registered and trademarked products owned wholly by Lange Containment Systems, Inc.



Lange Containment Systems, Inc.

Phone: 800-446-4898

Fax: 303-446-8798

Email: linergeeks@langecontainment.com

Web: www.langecontainment.com

EZ CONTAINMENT™ - VOLUME IN GALLONS

Width — Number of 6 Ft. Panels

	1	2	3	4	5	6	7	8	9	10
1	550	1,025	1,500	1,950	2,425	2,900	3,375	3,850	4,325	4,800
2	1,025	1,900	2,775	3,650	4,525	5,400	6,275	7,150	8,025	8,900
3	1,500	2,775	4,050	5,325	6,625	7,900	9,175	10,475	11,750	13,025
4	1,950	3,650	5,325	7,025	8,700	10,400	12,100	13,775	15,450	17,150
5	2,425	4,525	6,625	8,700	10,800	12,900	15,000	17,075	19,175	21,275
6	2,900	5,400	7,900	10,400	12,900	15,400	17,900	20,400	22,900	25,375
7	3,375	6,275	9,175	12,100	15,000	17,900	20,800	23,700	26,600	29,500
8	3,850	7,150	10,475	13,775	17,075	20,400	23,700	27,000	30,300	33,625
9	4,325	8,025	11,750	15,450	19,175	22,900	26,600	30,300	34,025	37,725
10	4,800	8,900	13,025	17,150	21,275	25,375	29,500	33,625	37,725	41,850

Length — Number of 6 Ft. Panels